

Message

From: Brett Bowyer [brettbowyer@bowyerenvironmental.com]
Sent: 9/23/2019 6:58:49 PM
To: Ehe, Robert@Waterboards [Robert.Ehe@waterboards.ca.gov]; Michael Lebow [mlebow@srllplaw.com]; kgroadser@gmail.com
CC: Ly, Jillian@Waterboards [Jillian.Ly@waterboards.ca.gov]; Castellana, Ben [castellana.ben@epa.gov]; James Bates [jbates@jbateslaw.com]
Subject: RE: 206 and 210 W. Slauson Avenue, Los Angeles (SCP File No. 1457, Site ID No. 2040589)
Attachments: ATT00001.txt

Hello Robert,

Thank you for sending out the review and approval letter. I have a question regarding timing for the additional workplan(s) that you requested in association with soil vapor delineation along the western side of the southern boundary and at 216 W. Slauson. I Am assuming that these workplans and this additional investigation activity would occur following the removal actions. Could you please confirm that this is the case?

We want to be able to complete the excavations and the removal of the majority of the shallow mass as soon as possible in order to limit the potential for the liberation of free phase gasoline residuals to the storm drain during future rain events. I am assuming that you agree that this work should be done as soon as possible and that the additional investigations can take place post soil removal.

Thank you.

Brett Bowyer, P.G.



17011 Beach Boulevard, Suite 900
Huntington Beach, CA 92647
Office: (877) 232-4620 Ext. 101
Cell: (714) 878-7191
FAX: (714) 494-1912

To send large files to Brett Bowyer through the BEC drop box click on the following link:

<https://spaces.hightail.com/uplink/BECdropbox>

PRIVILEGED AND CONFIDENTIAL

This e-mail may contain material that is confidential, privileged and/or attorney work product for the sole use of the intended recipient(s). All information transmitted hereby is intended solely for the viewing and use of the addressee(s) named above. If you are not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient(s), please note that any further reading, printing, copying or other distribution of this message is strictly prohibited. If you have received this message in error, please notify us immediately by telephone or reply e-mail and delete the message from your e-mail system.

To comply with IRS regulations, we advise you that any discussion of Federal tax issues in this e-mail was not intended or written to be used, and cannot be used by you, (i) to avoid any penalties imposed under the Internal Revenue Code or (ii) to promote, market or recommend to another party any transaction or matter addressed herein.

From: Ehe, Robert@Waterboards <Robert.Ehe@waterboards.ca.gov>
Sent: Monday, September 23, 2019 11:33 AM
To: Michael Lebow <mlebow@srllplaw.com>; kgroadser@gmail.com
Cc: Ly, Jillian@Waterboards <Jillian.Ly@waterboards.ca.gov>; Brett Bowyer
<brettbowyer@bowyerenvironmental.com>; Castellana, Ben <castellana.ben@epa.gov>; James Bates
<jbates@jbateslaw.com>
Subject: 206 and 210 W. Slauson Avenue, Los Angeles (SCP File No. 1457, Site ID No. 2040589)

The California Regional Quality Control Board for the Los Angeles Region (Regional Board) provided the addressee this correspondence through certified mail and we did not have e-mail addresses. The attached is your copy of recent correspondence; you will only receive an email copy.

The letter is in Adobe Acrobat PDF format. You can obtain an Acrobat Reader free of charge at
<http://www.adobe.com/products/acrobat/readstep2.html>.

Please contact me at (213) 576-6740 if you have any questions.

Robert J. Ehe, P.E.
Water Resource Control Engineer
Regional Water Quality Control Board, Los Angeles Region